


Auditory Processing Disorder

Checklist

22 signs that may indicate your child has Auditory Processing Disorder


		Always	Sometimes	Never
1.	Has difficulty hearing when there is background noise			
2.	Is sensitive to loud noises or feels uncomfortable in noisy places			
3.	Is easily distracted by noises			
4.	Is suspected of having a hearing loss even though hearing is well within the normal range			
5.	Confuses similar sounding words			
6.	Experiences difficulty following auditory directions			
7.	Asks for instructions to be repeated			
8.	Has difficulty following a conversation or discussion			
9.	Can miss hear words			
10.	Will respond with "Huh?" or "What?"			
11.	Has difficulty recalling a sequence that has been heard			
12.	Is slow in responding to verbal questions			
13.	Responds inconsistently and inappropriately in conversations			



Brain Blocks
BUILDING BETTER PATHWAYS

brainblocks@hotmail.com

		Always	Sometimes	Never
14.	Has difficulty with speech-sound discriminations			
15.	Has difficulty with reading and spelling			
16.	Has difficulty with phonics			
17.	Displays slow or delayed response to verbal stimuli			
18.	Frequently misunderstands what is said			
19.	Gets tired of listening and tunes out after a while			
20.	Has a history of hearing loss			
21.	Has a history of ear infections			
22.	Has a language problem			



Brain Blocks
BUILDING BETTER PATHWAYS

brainblocks@hotmail.com